



MyCare Busulfan Calibrator Kit and Control Kit



Date of issue: 2023-08-04



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form : Mixture

Product Name	Product Code
MyCare Busulfan Calibrator Kit	BSF-CAL
MyCare Busulfan Control Kit	BSF-CON

Relevant identified uses of the substance or mixture and uses advised against 1.2

Industrial/Professional Use : For Professional Use Only

Use of the Substance/Mixture : In Vitro Diagnostic Medical Device

1.3 Details of the supplier of the safety data sheet

Manufacturer **European Authorized Representative**

Saladax Biomedical, Inc. **EMERGO EUROPE** 116 Research Drive Westervoortsedijk 60, Bethlehem, PA.18015 6827 AT Arnhem Tel. 610-419-6731 The Netherlands techsupport@saladax.com T. +31 (0) 70 345 8570

www.saladax.com

1.4 Emergency telephone number

Emergency Number : CHEMTREC 1-800-424-9300 (US or Canada);1-703-527-3887 (International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This substance is classified as not hazardous according to Regulation (EC) No. 1272/2008 [CLP].

2.2 Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

According to Regulation (EC) No. 1272/2008 [CLP], this product does not require labeling.

2.3

This product contains human plasma which has been found negative (not repeatably reactive) by an FDA approved method for the presence of antibody to HIV 1/2, antibody to HCV, and Hepatitis B surface antigen (HBsAq). This material is non-infectious and has not been inoculated with or exposed to infectious agents. Handle all human sourced materials as potentially infectious.

SECTION 3: Composition/information on ingredients

3.1 Substance

Not applicable

3.2 **Mixture**

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 [CLP].

SECTION 4: First aid measures

Description of first aid measures 4.1

General : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if breathing is irregular or stopped.

: Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Skin Contact

Wash with plenty of soap and water. Wash contaminated clothing before reuse. Call a POISON

CENTER or doctor/physician in case of skin reaction.

Eye Contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for

10-15 minutes. Obtain medical attention if pain, blinking or redness persists.

Ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON


CENTER or doctor/physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

No known symptoms or effects identified.



MyCare Busulfan Calibrator Kit and Control Kit



(EU) 2015/830 and (EU) 2020/878

Date of issue: 2023-08-04

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Extinguishing Media : The product itself does not burn. Coordinate fire-fighting measures to the fire surroundings.

Unsuitable Extinguishing Media : No restrictions.

5.2 Special hazards arising from the substance or mixture

No specific hazards.

5.3 Advice for firefighters

No specific advice for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General Measures : Clean spills immediately with absorbent material and rinse the area with water.

6.1.1 For non-emergency personnel

Emergency Procedures : Evacuate unnecessary personnel.

6.1.2 For emergency responders

Personal Protective Equipment : Refer to Section 8 of this SDS for appropriate personal protective equipment.

Emergency Procedures : No specific emergency procedures.

6.2 Environmental precautions

No specific environmental precautions

6.3 Methods and material for containment and cleaning up

Clean spills with absorbent material. Rinse spill area with water.

6.4 Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective Measures : Wear gloves when handling.

General Occupational Hygiene : Do not eat, drink, or smoke when using this product. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions : Keep in the original container. Store refrigerated at 2-8 °C.

7.3 Specific end use(s)

For in vitro diagnostic use only

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits requiring an occupational exposure limit.

8.2 Exposure controls

Personal Protective Equipment : Avoid all unnecessary exposure. Wear safety glasses, gloves, protective clothing.

Hand Protection : Wear protective gloves.

Eye Protection : Wear chemical goggles or safety glasses.

Respiratory Protection : No respiratory protection necessary.

Other Information : Do not eat, drink, or smoke during use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State : Liquid


Color : Clear to slightly hazy, yellowish

Odor : Little or no odor
Odor Threshold : No data available

pH : 7.4 Melting Point : $0 \,^{\circ}$ C



MyCare Busulfan Calibrator Kit and Control Kit



Date of issue: 2023-08-04

Boiling Point : 100 °C

Flash Point : Not applicable – Aqueous Solution
Auto-ignition Temperature : Not applicable – Aqueous Solution

Decomposition Temperature : No data available Flammability (solid, gas) : Not applicable Vapor Pressure : 24 mmHg

Relative Vapor Density at 20 °C : No data available

Relative Density : 1 g/cm³

Solubility : Miscible in water Viscosity, Kinematic : No data available

9.2 Other Information

No other relevant information

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions.

10.4 Conditions to avoid

Stable under normal conditions.

10.5 Incompatible materials

No incompatible materials.

10.6 Hazardous decomposition products

No hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute Toxicity : Not classified (Based on available data, the classification criteria are not met)
Skin Corrosion / Irritation : Not classified (Based on available data, the classification criteria are not met)
Serious Eye Damage / Irritation : Not classified (Based on available data, the classification criteria are not met)
Respiratory or Skin Sensitization : Not classified (Based on available data, the classification criteria are not met)
Germ Cell Mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive Toxicity : Not classified (Based on available data, the classification criteria are not met)

Specific Target Organ Toxicity

Single Exposure : Not classified (Based on available data, the classification criteria are not met)

Specific Target Organ Toxicity

Repeated Exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration Hazard : Not classified (Based on available data, the classification criteria are not met)

11.2 Information on other hazards

No other hazards identified.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential


No data available

12.4 Mobility in soil

No data available



MyCare Busulfan Calibrator Kit and Control Kit



(EU) 2015/830 and (EU) 2020/878

Date of issue: 2023-08-04

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Contains no endocrine disrupting components above cutoff limits.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste Disposal Recommendations : Dispose according to local / national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not classified (Based on available data, the classification criteria are not met)

14.4 Packing group

Not classified (Based on available data, the classification criteria are not met)

14.5 Environmental hazards

Dangerous to the environment : No Marine Pollutant : No

Other Information : No supplementary information available

14.6 Special precautions for user

No special precautions required

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2 National regulations

No additional information available

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Descriptions of document changes available upon request

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product